Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	88	kyker.in.	US-PGPUB; USPAT	OR	OFF	2006/12/23 10:17
L2	8	kyker.in. and lee.in.	US-PGPUB; USPAT	OR	OFF	2006/12/23 10:17
L3	117	convert\$6 with instruction same immediate	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/12/23 10:26
L4	260	compress\$4 with immediate with (data or operand or value)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/12/23 10:27
L5	49	compress\$4 with immediate adj4 (data or operand or field)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/12/23 10:27
L6	71	compress\$4 with instruction same immediate	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/12/23 10:27
L7	19	(compress\$5 or decompress\$5) same immediate adj field	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR .	OFF	2006/12/23 10:27
L8 ,	· 71	compress\$4 with immediate adj4 (data or operand or field)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/12/23 10:28
L10	11950442	@ad<"19981230" or @rlad<"19981230"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/12/23 10:29
L11	29	l8 and l10	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/12/23 10:29

L12	9	17 and 110	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/12/23 10:29
L13	31	I6 and I10	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/12/23 10:30
L14	24	I5 and I10	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/12/23 10:30
L15	133	l4 and l10	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/12/23 10:31
L16	63	13 and 110	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/12/23 10:30
L17	18	"712"/\$.ccls. and l15	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/12/23 10:31
L18	33	"712"/\$.ccls. and l16	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/12/23 10:32
L19	6	"712"/\$.ccls. and l14	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/12/23 10:32
L20	25	"712"/\$.ccls. and l13	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/12/23 10:32
L21	7	"712"/\$.ccls. and l12	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/12/23 10:32

L22	8	"712"/\$.ccls. and l11	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/12/23 10:32
L23	. 58	l22 or l21 or l20 or l19 or l18	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/12/23 10:33
L24	17	("20040225867"   "4724517"   "5303358"   "5625784"   "5745722"   "5784585"   "5819058"   "5896519"   "5905893"   "5915109"   "6038657"   "6049862"   "6167505"   "6253314"   "6338132"   "6564314"   "6711669"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/12/23 10:39
S1	47	convert\$6 with instruction same immediate	USPAT	OR	OFF	2006/12/23 10:26
S2	7	compress\$4 with instruction same immediate	USPAT	OR	OFF	2006/12/23 10:26
<b>S3</b>	56	compress\$4 with immediate with (data or operand or value)	USPAT	OR	OFF	2006/12/23 10:26
Ş4	12	compress\$4 with immediate adj4 (data or operand or value)	USPAT	OR	OFF	2001/03/14 17:37
S5	38809	compress\$4 with (data or operand or value)	USPAT	OR	OFF	2000/11/26 14:45
S6	. 14	compress\$4 with immediate adj4 (data or operand or field)	USPAT	OR	OFF	2006/12/23 10:27
S7	5	(compress\$5 or decompress\$5) same immediate adj field	USPAT	OR .	OFF	2001/08/25 14:38
<b>S8</b>	5	(compress\$5 or decompress\$5) same immediate adj field	USPAT	OR	OFF	2001/03/14 17:36
S9	15	compress\$4 with immediate adj4 (data or operand or field)	USPAT	OR	OFF	2001/08/25 14:38
S10	13	compress\$4 with immediate adj4 (data or operand or value)	USPAT	OR	OFF	2001/03/14 17:37
S11	8	compress\$4 with instruction same immediate	USPAT	OR	OFF	2006/12/23 10:28
S12	48	convert\$6 with instruction same immediate	USPAT	OR	OFF	2001/03/14 17:37
S13	16	compress\$4 with immediate adj4 (data or operand or field)	USPAT	OR	OFF	2001/08/25 14:38
S14	50	convert\$6 with instruction same immediate	USPAT	OR	OFF	2001/08/25 14:38

S15	16	compress\$4 with immediate adj4 (data or operand or field)	USPAT	OR	OFF	2006/12/23 10:27
S16	5	(compress\$5 or decompress\$5) same immediate adj field	USPAT	OR	OFF	2006/12/23 10:27